

HSSS AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, Spacing, colour, INTST	RWY edge LGT LEN, spacing colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour
1	2	3	4	5	6	7	8	9
18	CAT 1	Green	PAPI Left /3°	NIL	White var. Red	60M White	Red	N/A
36	CAT 1	Green	PAPI Left /3°	NIL	White var. Red	60M White	Red	N/A
10 Remarks	RW 18 APPCH Lights Length 628M Instead of 900M							

HSSS AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	H24
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	TWY edge A,B,C,D, M
4	Secondary power supply/switch-over time	Two control rooms each equipped with 500KVA Generator with switch over 7 Sec.
5	Remarks	No break of power UPS continuously take the load

HSSS AD 2.16 HELICOPTER LANDING AREA

Not Applicable

HSSS AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	KHARTOUM CTR
2	Vertical limits	3500FT
3	Airspace classification	C
4	ATS unit Language(s)	Khartoum WR/APP English
5	Transition altitude	7000FT
6	Remarks	NIL

HSSS AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel	Hours of operation	Remarks
1	2	3	4	5
APP	Khartoum APP/TWR	124.7	H 24	
TWR	Khartoum TWR	119.2	H 24	
EMG	Khartoum	121.5	H 24	
FIRE FIGHTING	Khartoum FIRE	121.9	H 24	